



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

C45-19C
Job Sheet 170906



Part No: C45-19C

Job Qty: 1 ea

Part Name: Weldment



Part Weight: 0 lbs

Status: Scheduled

Priority: Medium

Job Created: 1/23/18

Job Tracking No:

Due Date: 1/26/18

Created By: Marie Lajeunesse

Type: Stock

Description:

Note: C45-19C REV.5 IPP REV:A 18.01.22 NEW ISSUE DD VERF:DP

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup hrs	Run Hrs	Workcenter / Supplier	Lead Time	
90	Start up Operation	1 Ea		1/25/18	0.00	0.00	Start Up Large Fab-7		EL
100	Large Fab	1 pcs		1/25/18	0.00	10.00	Large Fab 8		EL
110	QC	1 pcs		1/25/18	0.00	0.00	QC9		
120	QC	1 pcs		1/25/18	0.00	0.00	QC5		
130	Powdercoat	1 pcs		1/26/18	0.00	0.50	Powdercoat6		BRIS-02-13
140	QC	1 pcs		1/26/18	0.00	0.00	QC3		
150	Packaging	1 pcs		1/26/18	0.00	0.00	Packaging3-2		
160	QC21-SA	1 Ea		1/26/18	0.00	0.00	QC21		DAS FEB 16 2018

Part Op 100 - MANUFACTURE AS PER DWG, TACK WELD FOR INSPECTION BY: _____ USE WELDING JIG C45.

Descriptions: ***SEE NOTE 1, ALL HOLES MUST ALIGN***

130 - START TIME: 8:15 OVEN TEMPERATURE: 320° FINISH TIME: 9:15

in 129308

Job BOM

Part / ltr
C45-18-1

C45-18-5

C45-18-6

MT-A513

DART
AEROSPACE
S040824



Weldment

Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
CANADA
TEL.: 1 613 632-5200
Email: sales@dartaero.com
www.dartaerospace.com

PART NO: C45-19C

Original Serial #: S040824

Revision:

Operation: Start up Operation 02/09/18

Change No:

Job No: 170906

se.marie

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE




QA Closed: _____ Date: _____

Work Order update only ☐


Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QS1042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
3		AS DRAWN BY CANAM.	11/16/2012	JAG
4	15-0087	UPDATED TO NEW DRAFTING STANDARDS. CH'D WIDTH BETWEEN LIFING PLATES WAS 1.14 IS 1.16 +.02 -.00. CH'D DIM WAS 1.29 IS .48. DELETED DIM .250. ADDED FIXTURE NOTE.	4/16/2015	RJC
5	16-0207	DELETED POWDER COAT RED FINISH SPEC, DELETED MATERIAL COLUMN FROM BOM. CH'D DWG TO SHEET METAL TOLERANCE.	11/2/2016	RJC



SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 170906 MJS
1801-24



NOTES:

1. THREE HOLES MUST BE ALIGNED FROM FRONT PLATE TO THE BACK PLATE.
2. ASSEMBLE USING FIXTURE C45/C60-F.

B/O	Part #	UNIT QTY	Description
	C45-18-1	2	LIFTING PLATE
	C45-18-2	2	TOP SEM-RING
	C45-18-3	2	SIDE LOOP
	C45-18-4	2	STIFFENER BAR
	C45-18-6	1	BUMPER BRACKET
	C45-18-5	2	BOSS

DART AEROSPACE	
TITLE WELDMENT C45 CAGE	
DWG NO. C45-19C	REV 5
MAT'L HEAT TREAT FINISH POWDER COAT RED SPEC	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .010 FRACTIONS ± 1/8 .XX ± .03 ANGLES ± 1° .X ± .1 SURFACES = 125°	
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING 3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009	
DRAWN BY: APICAL INDUSTRIES CHECKED: DUERFELDT OPPTS APPR: ANDERSON QA APPR: LINDSAY APPROVED: GILBERT	
SCALE 1:8	DATE 7/21/2009
SHEET 1 OF 1	

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					